

Company

Bharat Heavy Electricals Limited

(High Pressure Boiler Plant) Tiruchirappalli – 620014, TAMIL NADU, INDIA OUTSOURCING DEPARTMENT

TITLE	Phone: +91 431 2574662
	Email : raja@bheltry.co.in
CORRIGENDUM for NIT_19155	

	Reference Number: Enquiry :REQUIREMENT OF NEW VENDORS FOR FABRICATION WITH BHEL FREE ISSUE MATERIAL	Enquiry Date: 2.09.2014	Due date for submission of quotation: 02.09.2015
	•		and due date in all your
correspondences.	This is only a request	for quotation and not	an order

CORRIGENDUM No. 4

Details of Corrigendum

Scoring pattern for technical competence has been updated in Page no. 15 of SRF.

All other terms and conditions as published in the NIT_19155 remain unaltered.



ANNEXURE-E GUIDELINES TO INDIAN SUPPLIERS FOR FILLING-UP SUPPLIER REGISTRATION FORM FOR OUTSOURCING-VENDOR(WITH BHEL MATERIALS)

- P BHEL-TRICHY-OUTSOURCING Document No. TRY:OS:SR:01 Revision No. 01 Page No. I of II
- 1. Prospective Suppliers may also visit our web site www.bhel.com (link Supplier Registration -> New Supplier Required) to know more about the requirement of new suppliers for various items in our units.
- 2. Registration Form may be obtained from BHEL website <u>www.bheltry.co.in</u>.
- 3. Application for registration, with a covering letter detailing where your products can find application (if possible) in BHEL unit(s), should be sent to:

Supplier Development Cell Unit Name: SCDC, OUTSOURCING-, 79 BUILDING, Bharat Heavy Electricals Ltd, Trichy 620014 *City:* India

- 4. In case registration is being sought in multiple units of BHEL, please send the separate application to each unit.
- 5. Any clarification with respect to procedure for registration may be obtained from the Supplier Development Cell of respective BHEL unit.
- 6. The Supplier Registration Form has four parts:

Part A	Organisational Information	Form no. SRF(I)01 – page 1 to 8
Part B	Quality System	Form no. SRF(I)01 - page 9 to 10
Part C	Technical Competence	Form no. SRF(I)01 page 11
		(if sent by BHEL)
Part D	Score Sheet (to be filled by BHEL)	Form no. SRF(I)01 page 11 to 15

The set of formats to be filled by different category of suppliers is as follows:

[Sl.No	Supplier Category	Formats
	1.	Indian Suppliers (manufacturers)	- Organisational Information
			- Quality System
			- Technical Competence

- 7. All columns are to be filled up properly in the space provided for. Wherever it is not applicable, please mention "Not Applicable". The form is to be signed by the authorised signatory.
- 8. A separate sheet may be attached if the space provided is insufficient or additional information is to be given. Please put proper identification tag on the separately attached sheet.
- 9. Please ensure that all required enclosures are attached with the filled up Supplier Registration Form and all enclosures are numbered & list of enclosures is given as required.
- 10. As multiple copies of the application forms are required for processing at our end, please do not spiral bound the application forms or its enclosures and instead send them in two hole clip flat file.
- 11. Incomplete forms will be rejected.
- 12. Any information / clarification required by BHEL during evaluation must be given expeditiously.
- 13. Please note that if you are registered and participate in Tender process and qualify to get order from BHEL, your performance based on Quality of your product, delivery performance and service rendered will be evaluated in line with Chapter VI.
- 14. Please fill up the check- list given on next page and send along with the Supplier Registration Forms to BHEL.
- 15. If you are attaching a document in a language other than Hindi/ English, a self attested Hindi/ English translated document may please be also attached.



ANNEXURE-E

Check List for Indian Supplier Registration Form OUTSOURCING- VENDOR(WITH BHEL MATERIALS) SUPPLIER REGISTRATION FORM

BHEL-TRICHY-OUTSOURCING		
Document No.	TRY:OS:SR:01	
Revision No.	01	
Page No.	II of II	

Sl.No.	Check-Point	Yes/No
1.	Information against all points under "Organizational Information" (Part-A) has been given.	
2.	All enclosures, applicable checklist and supporting documents have been enclosed.	
3.	Summary list of enclosures has been furnished as per S.N.10 of Organisational Information from no. SRF (I) 01 & S.N 12 of Quality system form no. SRF (I) 01.	
4.	Are you an ISO 9001 accredited supplier?	
5.	If yes, have you enclosed "Table of Contents" of your Quality Manual and copy of ISO 9001 accreditation certificate?	
6.	Have you filled up Quality System format given in Part B?	
7.	Technical requirements, specifications, drawings, standards have been received from BHEL before filling up Technical Competence, Part C.	
8.	All the parts of the form & enclosures have been signed by Authorised Signatory.	
9.	Have you attached EFT details? (In original, Certified by the bank)	
10.	If you are seeking registration for a MSME company (as per MSME Act of Government of India), have you attached requisite certificate as per Act?	

Date :

Signature & seal

(Authorised Signatory)

Note: This check list is to be attached with the filled up Supplier Registration Form.

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

GENERAL INSTRUCTIONS:

> INFORMATION WITH * MARKS IS SCOREABLE.

➢ ALL COLUMNS SHOULD BE PROPERLY FILLED IN THE SPACE PROVIDED FOR, WHEREVER IT IS NOT APPLICABLE, PLEASE WRITE "NOT APPLICABLE". INCOMPLETE OR INCORRECT FORMS MAY NOT BE CONSIDERED. PLEASE ATTACH SEPARATE SHEET, IF SPACE AVAILABLE IS INADEQUATE.

- > ALL THE PAGES OF THE FORM ARE TO BE SIGNED ALONG WITH SEAL BY THE AUTHORISED SIGNATORY
- > THIS FORM CONTAINS PART A, B & C

PART- A: ORGANISATIONAL SOUNDNESS

SL. NO	OSB RATE SCHEDULE CATEGORIES	MFG. STD/ IS / DIN /BS

ANNEXURE-E Page 1 of 15

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 2 of 15

ORGANISATIONAL INFORMATION

2.0 GENERAL INFORMATION :(Additional sheet to be attached in case more units) 2.11 NAME AND ADDRESS OF HEAD OFFICE IF ANY

2.12 NAMES OF THE WORKS/DIVISION (Products manufactured at each works to be mentioned :

ADDRESS	: E - Mail

: TELEPHONE

: Landline

: Mobile

2.2 NAME OF CHIEF EXECUTIVE / PROPRIETOR / PARTNER & ADDRESS :

2.3 DETAILS OF AUTHORISED SIGNATORY FOR SEEKING CLARIFICATION :

:

NAME

DESIGNATION : E - Mail

: TELEPHONE

: Landline

Mobile

• Clarifications and correspondence shall be sent only to the authorized signatory

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 3 of 15

ORGANISATIONAL INFORMATION			
3.0	OWNERSHIP INFORMATION :		DOCUMENTS TO BE FURNISHED
3.1	GOVT. OF INDIA UNDERTAKIN OR	G:	
	STATE GOVT. UNDERTAKING OR	:	
	LIMITED COMPANY, OR	:	MEMORANDUM AND ARTICLES OF ASSOCIATION
	PRIVATE COMPANY	:	MEMORANDUM AND ARTICLES OF ASSOCIATION
	OR CO-OPERATIVE SOCIETY,	:	SOCIETY RULES AND BYE LAWS
	OR PARTNERSHIP FIRM, OR	:	PARTNERSHIP DEED
	PROPRIETORSHIP,	:	PROFESSION TAX REGN. AND MUNICIPAL REGN.
	ANY OTHER (SPECIFY)	:	
3.2	NATURE OF BUSINESS (MANUFACTURING UNIT/ ENGG CONSULTANT/ EPC COI	: NTRA	CTOR)
	(AGENTS/ DISTRIBUTORS/STO TRADERS/ INDIAN SUBSIDIAR certificate of principal)		TS/DEALERS/ IANNEL PARTNER – attach authorization
3.3	YEAR OF ESTABLISHMENT	:	
* 3.4	4 YEAR OF COMMENCEMENT OF	FBUS	INESS :
SUF	PPLIER'S AUTHORISED SIGNATO	RY	BHEL CERTIFIED ASSESSOR

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

	Page 4	of	15
--	--------	----	----

	Page 4 of 15
ORGANISATIONAL	INFORMATION
4.0 REGISTRATION PARTICULARS	
(FURNISH DETAILS AND ENCLOSE COPY OF CERTIF	FICATE FOR THE FOLLOWING)
4.1 PERMANENT ACCOUNT NO	:
4.2 CENTRAL SALES TAX REGN NUMBER	:
4.3 STATE SALES TAX / TIN NUMBER	:
4.4 EXCISE DUTY REGN NUMBER	:
4.5 EXCISE CONTROL CODE NUMBER	:
4.6 SERVICE TAX REGN NUMBER	:
4.7 CATEGORY AS PER MSMED ACT	: MICRO/ SMALL/ MEDIUM
REGN NO.	:
VALID UPTO (Attach Certificate)	:
5.0 TOTAL ORGANISATIONAL STRENGTH	I: (ATTACH ORGANISATION CHART)
GRADUATE ENGINEERING :	DIPLOMA SKILLED NON-SKILLED
MANUFACTURING :	
QUALITY :	
QUANTITY(NDT) :	
COMMERCIAL / SERVICE AFTER SALES :	
OTHERS :	
TOTAL :	
CONNECTED LOAD TO EB : KVA	
* 5.1 STAND BY ARRANGEMENT FOR POWE (GIVE DETAILS)	ER: YES/NO
SUPPLIER'S AUTHORISED SIGNATORY	BHEL CERTIFIED ASSESSOR

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E Page 5 of 15

	ORGANISATIONAL INFORMATION			
(FU	OTHER PARTICULARS : RNISH DETAILS AND ENCLOSE DOCUMENTARY EVIDENCH FIFICATE FOR THE FOLLOWING)	E/ COPY OF		
* 6.1 GIVE	IF THE COMPANY IS ALREADY REGISTERED WITH ANY C : :	OF BHEL UNITS,		
	6.1.1. BHEL UNIT'S NAME :			
	6.1.2. SUPPLIER REGN. CODE NO. :			
	6.1.3. ITEMS FOR WHICH REGISTERED & THEIR SPECIFIC (ENCLOSE PROOF OF SUCCESSFUL EXECUTION ONE OR MORE PURCHASE ORDERS):			
* 6.2	IS THE COMPANY APPROVED BY ASME / NTPC / NPC / EIL / DGS&D / RAILWAYS / IBR / LLOYDS ETC FOR INTENDED MATERIAL CATEGORY? : (ENCLOSE DOCUMENTARY EVIDENCE)	YES / NO		
* 6.3		YES / NO		
* 6.4	IS THE COMPANY AN ISO 14000 APPROVED? : (ENCLOSE CERTIFICATE) :	YES / NO		
* 6.5	IS THE COMPANY OHSAS - 18000 APPROVED?: (ENCLOSE CERTIFICATE)	YES / NO		
* 6.6	TECHNICAL COLLABORATOR : (FOREIGN OR INDIGENOUS) (ENCLOSE DOCUMENTARY EVIDENCE)			
6.7	R&D SET UP			
6.8	DIRECTORS / PARTNERS, IF RELATED TO ANY BHEL EMPLOYEE. NAME : STAFE NO. : DESIGNATION : Unit & DEPARTMENT : RELATIONSHIP :			

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)	ANNEXURE-E Page 6 of 15
ORGANISATIONAL INFORMATI	ION
6.9 IF ANY EX-BHEL PERSONNEL IS EMPLOYED BY TH COMPANY, MENTION HIS / HER DETAILS OF LAST	
NAME : STAFF NO. : DESIGNATION : UNIT & DEPARTMENT : DATE OF LEAVING SERVICE:	
6.10 COMPANY'S WEEKLY HOLIDAYS :	
WORKS OFFICE 6.11 EXPERIENCE LIST:	
(ATTACH LIST OF PRESENT CUSTOMERS WITH N. WHOM SIMILAR PRODUCTS HAS BEEN SUPPLIED. F USER CERTIFICATE/ RECENT PURCHASE ORDER CO	PERFORMANCE / END
*6.12 DETAILS OF PENDING LEGAL ISSUES ON CONTRA CUSTOMER, IF ANY	ACTUAL ASPECTS WITH
6.13 The following information of B a n k Account of the C Bank (required for Electronic Fund Transfer –EFT/RTGS) is to b	
 Name of the Company Name of Bank Name of Bank Branch City/Place Account Number Account type IFSC code of the Bank Branch MICR Code of the Bank Branch Details of other Bankers (for reference purpose only) NOTE : Suppliers who have already submitted the above information are the same. 	requested to submit a copy of
SUPPLIER'S AUTHORISED SIGNATORY BHE	EL CERTIFIED ASSESSOR

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 7 of 15

	ORGANISATIC	ONAL INFO	RMA TION		
	FINANCIAL INFORMATION		1	1	-
9.0	Parameter	Year 1	Year 2	Year 3	Year 4
* 9.1	NET WORTH (Share Capital +Reserves)	(rears in asc	cending order,		
9.1	Growth over previous year (%)				
9.2	LONG TERM DEBT / LOAN				
* 9.3	DEBT EQUITY RATIO Long term Debt (9.2) Net worth (9.1)				
	INVESTMENT IN: Land & Building				
9.4	Plant & Machinery				
	Other Fixed Assets				
	NET CURRENT ASSETS a) Cash on hand				
	b) Account receivable				
	c) Inventories				
*	Total				
9.5*	CURRENT LIABILITY a) Sundry creditors				
	b) Interest accrued but not due				
	c) Other liabilities				
	Total				
	* QUICK RATIO <u>CA - INVENT. {9.5(1)-9.5(1)c}</u> 3 Current liability {9.5 (2)}				
* 9.6	SALES				
3.0	Growth over previous year (%)				
9.7	PROFIT BEFORE TAX				
	Growth over previous year (%)				
[•] 9.8	Whether the supplier has been refe any other Govt agency (If YES , e				YES / NO
* 9.9	Whether the supplier is a potential sick company.(If YES , enclose details)				
ncorpora highlighte 2. Statu Serv	. Copies of annual accounts (Balance S ation whichever is less) along with audi ed in the Balance Sheet. Is of Tax assessments done under vari ice Tax, Custom) and details of dispute hitted.	t report are to l ous laws (Inco	be submitted.	The above de Sales Tax, Ex	tails shall be cise &

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 8 of 15

ORGANISATIONAL INFORMATION

10. LIST OF ENCLOSURES (Tags to be put on enclosures):

(i)	MEMORANDUM AND ARTICLES OF ASSOCIATION / SOCIETY RULES AND BYE LAWS / PARTNERSHIP DEED/ PROFESSION TAX REGN & MUNICIPAL REGN.	: YES / NO
(ii)	Copy of certificate of following:-	
	PERMANENT ACCOUNT NO	: YES / NO
	CENTRAL SALES TAX REGN NUMBER	: YES / NO
	• STATE SALES TAX / TIN NUMBER	: YES / NO
	EXCISE DUTY REGN NUMBER	: YES/ NO
	EXCISE CONTROL CODE NUMBER	: YES / NO
	SERVICE TAX REGN NUMBER	: YES / NO
	• REGN NUMBER OF CATEGORY AS PER MSMED ACT	: YES / NO
(iii)	ORGANISATION CHART	: YES / NO
(iv)	If registered with any other BHEL Unit,	
	• LETTER OF REGISTRATION WITH BHEL UNIT	: YES / NO
	• PROOF OF SUCCESSFUL EXECUTION OF ONE OR MORE PURCHASE ORDERS	: YES / NO
(v)	Letter of approval from ASME / NTPC / NPC / EIL / DGS&D / RAILWAYS /IBR / LLOYDS ETC	: YES / NO
(vi)	Accreditation certificate for	
	• ISO: 9001	: YES / NO
	• TOC of Quality System Manual	: YES / NO
	• ISO : 14000	: YES / NO
	• OHSAS, ISO 18000	: YES / NO
(vii)	Letter regarding technical collaboration	: YES / NO
(viii)	Experience List / Performance certificate	: YES / NO
(ix)	Balance Sheet for the last four years along with audit Report	: YES / NO
(x)	Principal's authorization in case of dealers/ agents	: YES / NO
(xi)	EFT Bank's certificate	: YES / NO

11. UNDERTAKING / DECLARATION LETTER BY VENDOR:

I /WE GIVE THE UNDERTAKING THAT BHEL DRAWINGS & SPECIFICATIONS SHALL NOT BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF BHEL AND/ OR FOR SUPPLY OF ANY MATERIAL, PRODUCT OR SERVICES DIRECTLY OR INDIRECTLY TO ANY OTHER CUSTOMER.

Maximum Marks = 50 Negative Marks = -13 Minimum Qualifying marks = 30

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E Page 9 of 15

FORM NO. SRF(I) 01 Part B (QUALITY SYSTEM):

Sl.	PARAMETERS			RECORDS	REMARKS
No		evidences if ticked in		(Tick if	
				available &	
		written proce		submit	
		Written	Practice	evidences)	
		Procedure			
1*	Incoming Material Control				Furnish a copy of system
	System				and organization.
2*	In process control				Furnish at least one work
	-				instruction & record of
					process control parameter
3*	Manufacturing / Testing				Procedure Qualification
-	Procedure Qualification				specification may be
					submitted
4*	Personnel qualification for 3				Record of Personnel
	above.				qualification (PQR) to be
					submitted
5*	Calibration system				Submit list of instrument
5	Canoration system				& their calibration status
6*	System of Identification &				
0.	Traceability of materials,				Copy of procedure to be submitted
					submitted
	tools, jigs, fixtures &				
	processed components, etc.				
7*	System of Storage,				Copy of procedure to be
	Preservation, Painting &				submitted
	packing				
8*	System of NCR disposition &				Two copies of NCR &
	corrective preventive action				САРА
9*	Customer complaints				Submit list of customer
	handling system				complaints & status for
					the last three years
10*	Safety measures				Submit copy of safety
					system & Record of
					accidents for last three
					years
11	Any other quality initiative				

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E Page 10 of 15

FORM NO. SRF(I) 01 Part B (QUALITY SYSTEM):

12. LIST OF ENCLOSURES

- (i) Copy of system of control incoming materials and organization chart
- (ii) Copy of at least one process control work instruction
- (iii) Record of process control parameter
- (iv) Copy of at least one Procedure Qualification specification
- (v) Record of Personnel qualification (PQR)
- (vi) List of instrument & their calibration status
- (vii) Copy of procedure for Identification & Traceability of materials, tools, jigs, fixtures & Processed components, etc.
- (viii) Copy of procedure for Storage/ preservation/ painting & packing
- (ix) Copies of two NCRs and their CAPA.
- (x) List of customer complaints & status for the last three years
- (xi) Copy of safety system
- (xii) Record of accidents for last three years

Maximum Marks = 25 Minimum Qualifying marks = 15

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE E

Page 11 of 15

FORM NO. SRF(1)01 Part C: TECHNICAL COMPETENCE

Technical competence shall be evaluated in two parts viz. common competence and product/ Rate schedule category specific competence.

(i) COMMON TECHNICAL COMPETENCE

TECHNICAL COMPETENCE (Based on the drawings given by BHEL supplier shall respond for the below)	MARKING RANGE	SUPPLIER RESPONSE (ALONG WITH SUPPORTING DOCUMENTS)#	MARKS BY BHEL
1. Supplier understands the product specification.	(0-3)		
2. Supplier understands the inspection requirements.	(0-2)		
3. Supplier has process capability to achieve the product specification/dimensional requirement.	(0-3)		
4.Supplier has experienced manpower to carry out the job.	(0-2)		
TOTAL MARKS OUT OF POSSIBLE	10		

(ii) PRODUCT TECHNICAL COMPETENCE

(Max Marks: 25)

The checklist for each product/rate schedules are given in Annexure B. Supplier shall submit the checklist duly filled for each product. In order to qualify for a particular product/rate schedule the supplier has to fulfil all the mandatory conditions mentioned in the check list for each product/rate schedule.

Attach documentary evidence wherever applicable:

Documentary Proof for Machineries/Equipment: Purchase order copies / Photographs Proof for Inspection equipment: Calibration details from NABL Approved lab for each equipment

LIST OF ENCLOSURES:

Maximum Marks = 35 Minimum Qualifying marks = 21 # No marks is to be given by the supplier. Only supplier response along with supporting documents.

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E Page 10 of 15

<u>Part D</u> : SCORE SHEET:

Score Sheet shall be filled only by BHEL officials based on the documents submitted and the same has been attached only for information. Based on the score supplier shall be rejected or recommended for further processing.

1. ORGANISATIONAL SOUNDNESS (for Manufacturers):

S.N.	PARAMETER	CRITERIA	Maxm. Marks	Marks Awarded
1.	Whether all relevant information like ownership, PAN no., sales tax no., excise duty no., etc. submitted	Yes: 2 No: 0	2	
2.	3.4 YEAR OF COMMENCEMENT OF BUSINESS	More than 5 years : 2 1-5 years : 1 Less than 1 year : 0	2	
3.	5.1 POWER BACKUP	Yes : 1 No : 0	1	
4.	5.2 DOES THE COMPANY SELL ITS PRODUCT DIRECTLY	Yes : 1 No : 0	1	
5.	6.1 REGISTERED WITH ANY OF BHEL UNITS	Yes (same item) : 2 Yes (another item) : 1 No : 0	2	
6.	6.2 APPROVAL BY ASME/ NTPC/ NPC/ EIL/ DGS&D/ RAILWAYS/ IBR/ LLOYDS ETC	Yes : 2 No : 0	2	
7.	6.3 ISO 9001 ACCREDITATION	Yes : 2 No : 0	2	
8.	6.4 ISO 14000 ACCREDITATION	Yes : 1 No : 0	1	
9.	6.5 OHSAS - 18000 ACCREDITATION	Yes : 1 No : 0	1	
10.	6.6 TECHNICAL COLLABORATOR : (FOREIGN OR INDIGENOUS)	Yes : 1 No : 0	1	
11.	6.12 PENDING LEGAL ISSUES ON TECHNO – COMMERCIAL ASPECTS WITH CUSTOMER	Yes : -5 No : 0	0	
	TOTAL		15	

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE E Page 13 of 15

Part D: SCORE SHEET

Score Sheet shall be filled only by BHEL officials based on the documents submitted and the same has been attached only for information. Based on the score supplier shall be rejected or recommended for further processing.

2. FINANCIAL INFORMATION (for Manufacturers):

S.N.	PARAMETER	CRITERIA	Maximum Marks	Marks Awarded
1.	9.1 Growth of Net Worth over previous year (%) Average of three years to be worked out	More than 20 % : 5 10 - 20 % : 4	5	
		5-10% : 3		
		> 0 & < 5% : 2 0 or below : 0		
2.	9.3 DEBT EQUITY RATIO	1:1 : 5	5	
2.	Long term Debt (9.2)	1.1 upto 1.5 : 1 : 4	5	
	Net worth (9.1)	1.6 upto 2.0 : 1 : 3		
		2.0 & above : 1 : 2		
3.	9.5 QUICK RATIO	1:1 : 5	5	
	<u>CA - INVENTORIES {9.5(1)-9.5(1)c}</u>	1 : 1 upto 1.5 : 4		
	Current liability {9.5 (2)}	1:1.5 upto 1.75 : 3		
		1 : 1.75 upto 2.5 : 2		
4	$0 \in \mathbb{C}_{+}$ (1) is \mathbb{C}_{+} (0())	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	5	
4.	9.6 Growth in Sales over previous year (%) Average of three years to be worked out	More than 35% : 5 20 -35 % : 4	5	
	Average of three years to be worked out	10-20% : 3		
		5 - 10% : 2		
		>0 & < 5% : 1		
		0 or negative : 0		
5.		More than 20 % : 5	5	
	9.7 PROFIT BEFORE TAX	10 – 20 % : 4		
		5 - 10 % : 3		
	Growth over previous year (%)	>0 & < 5% : 2		
		0 or below : 0	0	
6.	9.8 Whether the supplier has been referred to BIFR / NCLT/ any other similar Govt agency	Yes: -5 No: 0	0	
7.	9.9 Whether the supplier is a potentially sick	Yes: -3	0	
/.	company	No: 0	U	
	TOTAL		25	

Note: If the supplier is new in business and does not have past data, then the evaluation will be done on the basis of information provided by him and will be decided by MISCC.

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E Page 14 of 15

Part D : SCORE SHEET

Score Sheet shall be filled only by BHEL officials based on the documents submitted and the same has been attached only for information. Based on the score supplier shall be rejected or recommended for further processing.

3. OUALITY SYSTEM :

S.N.	PARAMETER	CRITERIA	Maxm. Marks	Marks Awarded
1.	Incoming Material control System	System availability : Yes: 1 No : 0	1	
		Availability of Organisation chart Yes: 1	1	
2.	Process control	No : 0Work instruction available:Yes: 1 No : 0	1	
		Record of process Control : Available : 2 Partial record : 1 Not available: 0	2	
3.	Manufacturing / Testing Procedure Qualification	Procedure Qualification Specification : Adequate : 3 In adequate: 1 Not available : 0	3	
4.	Personnel qualification	Record of PQR: Adequate : 3 In adequate: 1 Not available : 0	3	
5.	Calibration system	Adequate : 3 In adequate: 1 Not available : 0	3	
6.	System of Identification & Traceability of materials, tools, jigs, fixtures & processed components, etc.	Procedure available : Adequate : 2 In adequate: 1 Not available : 0	2	
7.	System of Storage/ preservation/ painting & packing	Procedure available : Adequate : 2 In adequate: 1 Not available : 0	2	
8.	System of NCR disposition & corrective preventive action	Two copies of NCR & CAPA Available :2 Not available : 0	2	
9.	Customer complaints handling system	System available : Yes: 1 No : 0	1	
		Complaints registered & resolved: 2Complaints registered & partiallyresolved: 1Complaints not registeredor not resolved: 0	2	
10.	Safety measures	System available : Yes: 1 No : 0	1	
		Record available : Yes: 1 No : 0	1	
	TOTAL		25	

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

Part D: SCORE SHEET

Score Sheet shall be filled only by BHEL officials based on the documents submitted and the same has been attached only for information. Based on the score, supplier shall be rejected or recommended for further processing.

4. TECHNICAL COMPETENCE

(Max Marks: 35)

A. Common Technical Competence: 10 Marks (from Part C- Page 11) B. Product Specific Technical Competence: 25 Marks

Note: For 4.B above, checklist for each product may be evaluated, and marks may be awarded for the mandatory facilities. Awarded marks may then be converted to a scale of 25 for each product. Vendor may be recommended only for the products where they have scored 25 out of 25 in product technical competence.

TOTAL(A+B): 35 ()

SUMMARY:

Sl. No	Criteria	Maxm Marks	Qualifying marks *	Marks obtained	Recommendation for registration
1.	Organisational Soundness	40	25		Recommended :
	Financial Information				Permanent code /Development code/
2.	Quality System	25	15		Trial code
3.	Technical Competence				
	Common Technical Competence	10	5		Not recommended
	Product Specific Technical Competence (as per the product checklist)	25	25		
	TOTAL	100	70		

*Minimum Qualifying Score in Each category is indicated above.

<u>RECOMMENDATION</u>:

ANNEXURE-E Page 15 of 15

FACILITY CHECKLIST FOR OSB VENDOR REGISTRATION

SL NO	CHECKLIST NAME
1	AUTO WELDED BEAMS AND BUCKSTAY
2	CEILING GIRDER
3	COAL FEEDERS & GRAVIMETRIC FEEDERS
4	COLUMN
5	DRAIN OIL TANK & DOOR
6	DUCTS
7	FOUNDATION MATERIALS
8	GATE AND ISOLATION GATES
9	GENERAL FABRICATION
10	HANGERS AND SUPPORTS
11	HFO HEATER SET
12	INSTRUMENT TAPPING
13	METTALIC EXPANSION BELLOWS & PLEATED PANNEL
14	OIL GUN ASSY
15	SEAL BOXES
16	VENTURI & AERO FOIL DUCTS
17	WIND BOX AND SOFA
18	PUNCHING PRESSING AND SHEARING
19	COILS AND LOOSE TUBES
20	PANELS
21	MACHINING

Check List for Spot Visit - Autowelded Beams and Buck Stays

Doc No: SVCL:024/00

Date : 15.10.2013

Vendor Name and Address:

	Part-A (Mandatory)							
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok		
1	Land area . (If lease land 3 yrs with registered deed)	2 Acres						
2	Fencing/Compound wall	All around						
3	Auto welding M/C(SAW) with track facility and fixture 45 degree	2 Nos, Min 800 amps, track 20 mtr min						
4	Covered shed	12M X 14M						
5	Power (MIN)	100 Hp /630 kva (3 phase)						
6	Raw Material Clearance (For ACF Vendors)	Day Book Entry system or likewise.						
7	Raw Material Testing (For ACF Vendors)	Access to testing labs, BHEL or Any other NABL approved						
8	Material handling capacity(MIN)(Mobile crane/EOT & A frame with stability certificate)	20 MT						
9	Hydraulic warpage Removal M/c (Min 500 MT)	1 No						
10	Flux Baking oven and holding oven	1 NO EACH						
11	Electrode baking & holding oven	1 NO EACH						
	Flask Oven	2 No						
12	Gas cutting							
	Bug Cutting M/c	2 Nos						
14	Manual cutting torch	2 Nos						
15	(SMAW)Welding M/c 400 Amps Inverter	5 Nos						

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok
16	Grinding M/c					
17	Bench Grinding	1 Nos				
18	Manual / Portable	2 Nos				
19	Drilling M/c (Min 25 mm dia)	2 Nos				
	Air test facility -Air Compressor of 5HP rating, gun and U tube manometer combinations for painting	1 set				
	LPI kit	1 Set				
	MPI Unit	1 No				
23	Level II LPI/MPI qualified Personnel	1 Person				
	Measuring Instruments (all calibrated)					
	Tape 3m,5m,20m	each 2 Nos				
	Vernier 0-200mm	1No.				
	Feeler Gauge	1No.				
24	Weld fillet gauge 25 MM	1 no				
27	Straight Edge	1 No				
	Try square	1 no				
	Sprit level	1 no				
	DFT meter for painting	1 no				
	Water level checking arrangement	1 no				
25	IT Pan Card	Original to be offered for verification				
26	TIN NO	Original to be offered for verification				
27	Excise Registration Certifcate	Original to be offered for verification				
	Office room with 2 PC , internet facility and printer	Must				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok
		Part-B (Optional)			
	Standby Generator :					
1	a Capacity (HP)					
	b Owned or On rent					
2	PRESS BRAKE (25 MM)					
3	Spectrometer (applicable for alloy steel fabrication)	Inhouse/Outsourced				
4	ISO Certification					
		Part-C (Final Re	commendation)			
	NTPC/Non-NTPC					
	Material					
	Valid Upto					
			_			
			_			
<u> </u>	Auditor-1:		Auditor-2:			
-	rtant Notes :					_
	Part-A requirement is a must for qualifying		-	rs is a must and shall be avai	llable at the time of sp	ot
02	Part-B is only optional and need not be cor	isidered for disqualifying the	vendor.			

		Check List for Spot Vis	it - Ceiling Girders			
Doc No	o: SVCL:004/01				Dat	e : 15.10.201
Vendo	or Name and Address:					
		Part-A (Mar	ndatory)			
SI No	Paramter for evaluation	Minimum Required	As given by Firm	As observed in Audit	Remarks	Ok/ Not Ok
1	Land area . (If lease land 3 yrs with registered deed)	2 acres				
2	Fencing/Compound wall	All around				
3	Covered Shed	30 x40 m				
4	EB Power Capacity in HP	100 Hp /630 kva (3 phase)				
5	Raw Material Clearance (For ACF Vendors)	Day Book Entry system or likewise.				
6	Raw Material Testing (For ACF Vendors)	Access to testing labs, BHEL or Any other NABL approved				
	Material Handling					
7	Handling Facility for Column Assembly .(EOT/A frame/ Gantry Mobile)	To Handle 60 MT (Single piece)				
		Span: 12m				
		Track Length :60 m				
	Welding Machine Details					
8	Auto welding M/C(SAW) with track facility and fixture 45 degree	2 Nos, Min 800 amps, track 20 mtr min				
9	(SMAW)Welding M/c 400 Amps Inverter	5 Nos				
10	Roller stand	6 nos min.				
11	Pre heating & post weld HT	Burner with 10m min length.				

SI No	Paramter for evaluation	Minimum Required	As given by Firm	As observed in Audit	Remarks	Ok/ Not Ok
12	Flask Oven	2 No				
13	Electrode Baking & Drying Oven (Calibrated)	1No+1No				
14	Flux Baking Oven (Calibrated)	1No				
15	Grinding M/c					
16	Bench Grinding	1 Nos				
17	Manual / Portable	2 Nos				
18	Drilling M/c (Min 25 mm dia)	2 Nos				
19	Gas cutting					
20	Bug Cutting M/c	2 Nos				
21	Manual Cutting torch	2 Nos				
22	Band saw	1				
	Measuring Instruments (all calibrated)					
	Tape 3m,5m,20m	Each 2 Nos				
	Vernier 0-200mm	1No.				
	Feeler Gauge	1No.				
	Weld fillet gauge 25 MM	1 no				
23	Radiograghic Testing facility with qualified personnel	1 No+ 1 person				
	Straight Edge	1 No				
	DFT Meter for painting	1 No				
	Try square	1 No				
	Sprit level	1 No				
	Water level checking arrangement	1 no				
24	Blasting Facility	Shot				

SI No	Paramter for evaluation	Minimum Required	As given by Firm	As observed in Audit	Remarks	Ok/ Not Ok
25	Air Compressor of 5HP rating,gun	1 set				
23	for painting					
26	IT Pan Card	Original to be verified				
27	TIN NO	Original to be verified				
28	Excise Registration Certificate	Original to be verified				
29	Office room with 2 PC , internet	Must				
29	facility and printer					
		Part - B (Opt	tional)			
	Standby Generator					
1	Capacity (HP)					
	Owned or On rent					
2	Stenciling					
3	Punching Machine					
		Part - C (Final Reco	mmendation)			_
	Boiler Rating (MW rating)					
	NTPC/Non-NTPC					
	Valid Upto					
						_
	Auditor-1:			Auditor-2:		

Impoi	ta	int Notes :
01	1	. Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at
02	2	. Part-B is only optional and need not be considered for disqualifying the vendor.

		Check List for Spot Visit	- Coal Feeders/	Gravimetric Feeders							
Doc N	o: SVCL:017/00				Date	: 15.10.2013					
Vend	or Name and Address:										
	Part-A (Mandatory)										
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok					
1	Land area . (If lease land 3 yrs with registered deed)	2 Acres									
2	Office room with 2 PC , internet facility and printer	Must									
3	Fencing/Compound wall	All around									
4	Covered shed	10m x 15m									
5	EB Power	100 Hp /630 kva (3 phase)									
	Handling Facility (EOT/A frame/ Gantry Mobile)	To Handle 10 MT									
7	Full fledged covered storage for electrical ⊂ delivery items	Racks with proper traceability									
8	(SMAW)Welding M/c 400 Amps Inverter	Min 4 Nos.									
9	CNC Floor Boring Machine	Min 1 No.									
10	Puck cutting sets	Min 2 sets									
11	Shearing Machine/ Plasma cutting machine for SS materials for thickness of 6mm and 10 mm	Min 1 No.									
12	Grinding Machine - AG-7	Min 5 Nos									
13	Bench Grinder for tools	1 no									
14	Bending machine or Rolling Machine	1 no									

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
15	Bandsaw cutting machine	1 no				
	Flat Base Plate (25 mm) 500 mm raised level of size 3m x 4 m for feeder reference setting					
17	Table type drilling	1 no				
18	Radial Drilling	3 nos				
19	Lathe for holding bigger dia jobs (600 mm dia)	1 no				
	Lathe for doing small jobs in parallel like pins and so on	1 no				
21	Milling machine	1 no				
22	Taps for threading (M24,M20,M16,M12, M10)	1 set				
	Tool Box with all ranges of spanners for assembly of GR feeders	1 set				
24	Air Compressor of 5HP rating,gun for painting	1 set				
25	IT Pan Card	Original to be Offered for verification				
26	TIN No	Original to be Offered for verification				
27	Excise Registration	Original to be Offered for				
	Certificate	verification				
	Inspection Facilities					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Measuring device set (tape, vernier , Dial gauge and micrometers,height guages with calibn)	Min 1 No each				
741	MPI machine -prod type with calibration	1No				
30	LPI sets with required claibration	1 No				
- 31	Level II LPI/MPI qualified Personnel	1 Person				
	Surface table for marking machining components	1 No				
33	DFT Meter for Painting	1 No				
	Fit up bench and Spiders for shell welding	1 No				
35	End door fixture	1 No				
36	Inlet collar fixture	1 No				
	Fixture for Rail upper Guide & Rail lower guide	1 No				
38	Chain link fixture	1 No				
39	Frame LH & RH Fixture	1 No				
40	Plate end door fixture	1 No				
41	Block machining Fixture	1 No				
42	Jig for table type drilling	1 No				
43	Jig for radial drilling	1 No				
	Electronic weighing machine with calibration records	1 No				
45	U tube mano meter	1 Set				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok	
	Part-B (Optional)						
	Standby Generator						
1	Capacity (HP)						
	Owned or On rent						
2	Cylindrical Grinding	Inhouse/ Outsourced					
3	ISO Certification						

Part-C (Final Recommendation)

NTPC/Non-NTPC		
Material		
Valid Upto		

Auditor-1:

Auditor-2:

Prepared by:

Approved By

Important Notes :
01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time
02 Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Columns

Doc No: SVCL:001/02

Date : 02.01.2015

Vendor Name and Address:

	Part-A - (Mandatory)									
SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok				
01	Land area . (If lease land 3 yrs with	2 Acres								
	registered deed)									
02	Fencing/Compound wall	All around								
03	Covered shed	12m X 20m								
04	EB Power	100 Hp /630 KVA (3 phase)								
05	Raw Material Accounting & traceability (For ACF Vendors)	Day Book Entry system or likewise.								
06	Raw Material Testing (For ACF Vendors)	Access to testing labs, BHEL or Any other NABL approved								
07	(SMAW)Welding M/c 400 Amps Inverter	5 Nos								
	Hydraulic warpage Removal M/c (Min 500 MT)	1 No								
09	Bug Cutting M/c	2 Nos								
10	Manual gas cutting torch	2 Nos								
11	Roller Supports for Individual Column Pieces - Column Assembly	14 Nos. (Open area length Min :85 M)								
12	End machining set up to obtain rest plate/ cap plate flatness of 0.1 mm accuracy	1No								
	Auto welding M/C(SAW) with track facility and 45 degree fixture	2 Nos, Min 800 amps, track 20 mtr min								
	Pre heating	Burner with 10m min length.								
15	Flask Oven	2 No								
16	Electrode Baking & Drying Oven (Calibrated)	1No+1No								
17	Flux Baking Oven (Calibrated)	2Nos								
	Material Handling Facility for column	To Handle 60 MT (Single piece) (combination of								
	fabrication and assembly	multiple cranes with minimum capacity of 20 MTs each crane is also considered)								
19	MPI machine -prod type with calibration	1No								

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
20	LPI Kit & MPI Kit	1 Set each				
21	Level II LPI & MPI qualified Personnel	1 Person for each type.				
22	Drilling machine - Column Assembly	Radial /Column Drilling M/C, -1 no Portable (Magnet)- 2 Nos				
23	Measuring Instruments (all calibrated)					
	Tape 3m,5m,20m	each 2 Nos				
	Vernier 0-200mm	1No.				
	Feeler Gauge	1 set				
	Weld fillet gauge 25 MM	1 no				
	Straight Edge	1 No				
	Try square	1 no				
	Sprit level	1 no				
	Water level checking arrangement	1 no				
24	Air Compressor of 5HP rating	1 set				
	Office room with 2 PC , internet facility and printer	Must				
26	IT Pan Card	Original to be offered for verification				
27	TIN No	Original to be offered for verification				
28	Excise Registration Certificate	Original to be offered for verification				

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok				
	Part-A1 - (Mandatory)									
Mir	nimum Experience required for Column Fabr	ication								
01	Past experience in fabricating similar jobs (Min 20 MT as assembly using plate above 40 mm thro' SAW process) for power projects at least 250MW /other projects									
	structures accompanied by P.O copy, Inspection report with dimensions issued by customer (or) client or Track record for at least 2 BHEL- POs or 100MT completion for Auto welded Beams/Buckstays .									
02	Spot evaluation of firm's quality including p	ersonnel by BHEL QC on fulfilment of the above re-	quirement.							
		Part - B (Optional)								
01	ISO Certification									
02	Stenciling	Off cuts identification (using metal markers).								
		Spectro machine preferable								
03	Post welding Heat Treatment Facilities	Inhouse/Out sourced								
	(Electrical Resisitance upto 40 mm and									
	induction heating above 40 mm									
04	Templates and Shop made gauges	As per product requirements								
05	UT/RT	Inhouse/Out sourced								
06	Blast cleaning	Commercial blasting								
07	Punching Machine									
08	CNC cutting machine									
09	Standby Generator									
	Capacity (HP)									
	Owned or On rent									
10	LOCAL SR (OWN / OUTSOURCED)									
		Part-C (Final Recommenda	tion)							
	Auditor-1: Auditor-2:									
Impo	rtant Notes :									
		the vendor. Hence, filling up all evaluation parameter	ers is a must and sha	all be available at tl	ne time.					
	2 Part-B is only optional and need not be considered for disqualifying the vendor.									

Check List for Spot Visit - Drain Oil Tank and Doors

Doc No: SVCL:023/00

Date : 15.10.2013

Vendor Name and Address:

		Par	t-A (Mandatory)			
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Land area . (If lease land 3	2 Acres				
	yrs with registered deed)					
2	Fencing/Compound wall	All around				
3	Full fledged covered storage for electrical ⊂ delivery items	Racks with proper traceability				
4	Covered shed	10M x 5M				
5	Centre Lathe 3 feet	1 No				
6	TIG welding equipment	1 No				
7	Grinding machine - AG 5, AG 7	1 No each				
8	Pump for hydro testing upto. 50 Kgs / Cm ² with calibrated pressure gauges	1 No				
9	Bench Drilling machine & magnet base drilling m/c	1 No each				
10	(SMAW)Welding M/c 400 Amps Inverter	2 Nos				
11	Electrode baking & holding oven	1 NO EACH				
12	Flask Oven	2 No				
13	Wire Wheel - for power tool cleaning	1 No				
14	LPI kit	1 Set				
15	MPI Unit	1 No				
16	Level II LPI/MPI qualified Personnel	1 Person				
17	Shearing Machine	upto 12 mm thickness				
18	Gas cutting equipment for bottom plates	2 Nos				
19	Handling	12T hydra mobile crane				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
20	Air Compressor of 5HP rating with gun for painting	1 set				
	IT Pan Card	Original to be offered for				
21		verification				
	TIN No	Original to be offered for				
22		verification				
	Excise Registration	Original to be offered for				
23	Certificate	verification				
24	EB Power	A must				
	Office room with 2 PC ,	Must				
	internet facility and printer					
25						

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok		
	Part-B (Optional)							
1	Rolling/bending machine	upto 20 mm thickness						
	Standby Generator							
2	Capacity (HP)							
	Owned or On rent							
3	ISO Certification							

Part-C (Final Recommendation)

NTPC/Non-NTPC		
Material		
Valid Upto		

Auditor-1:	Auditor-2:

Imp	Important Notes :						
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time						
02	Part-B is only optional and need not be considered for disqualifying the vendor.						

		Check List for Spot	Visit - Ducts & Tru	ss Assembly					
Doc	No: SVCL:002/01				Da	te : 15.10.2013			
Ver	ndor Name and Address:			I					
	Part-A (Mandatory)								
il No	Paramter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok			
1	Land area . (If lease land 3 yrs with registered deed)	2 Acres							
2	Fencing/Compound wall	All around							
3	Covered shed	10 M X 10 M							
4	EB Power	100 Hp /630 kva (3 phase)							
5	Raw Material Clearance (For ACF Vendors)	Day Book Entry system or likewise.							
6		Access to testing labs, BHEL or Any other NABL approved							
7	(SMAW)Welding M/c 400 Amps Inverter	4 Nos							
8	Three roller bending	Min 7 mm							
9	LPI kits	1 No.							
10	Drilling machine (Min 16 mm	1 Nos							
11	Portable Drilling Min 16 mm dia	1 Nos							
12	Gas Cutting/ Shearing	1 No.							
13	Grinding M/c								
14	Bench Grinding	1 Nos							
15	Manual / Portable AG 5&7	2 Nos Each							
16	Material Handling								
	A-Frame with stability cert or Mobile Crane	10 MT							
	Crane capacity for Trail	Boom length adequate to handle							
	Assembly	upto 15 m height							
l No	Paramter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok			
------	---	--	-------------------	--------------------------	---------	-----------			
	Leased Mobile crane	Lease agreement							
17	Measuring Instruments (all								
	calibrated)								
	Tape 3m,5m,20m	each 2 Nos Make Tazima							
	Vernier 0-150mm	1No.							
	Weld fillet gauge	1 No.							
	Try square	1 No.							
	Sprit level	1 No.							
18	Water level checking arrangement	1 No.							
	Air test facility -Air Compressor of 5HP rating , gun and U tube manometer combinations for painting	1 set							
20	IT Pan Card	Originals to be offered for verification							
21	TIN No	Originals to be offered for verification							
22	Excise Registration Certificate	Originals to be offered for verification							
23	Office room with 2 PC , internet facility and printer	Must							
	•	Part-B ((Optional)						
1	Standby Generator	``````````````````````````````````````	· /						
	Capacity (HP)								
	Owned or On rent								
2	Machine Stenciling (Template)			1		1			
	PRESS BRAKE (10 MM)					1			
	Punching Machine								
		Part-C (F	inal Recommendati	on)		-			
		•		-		٦			

NTPC/Non-NTPC

il No	Paramter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
-	Material					
	Valid Upto					
	Auditor-1:			Auditor-2:		

Important Notes :
01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit
02 Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Foundation Materials

Doc No: SVCL:021/00

Date : 15.10.2013

Vend	or Name and Address:								
Part-A (Mandatory)									
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok			
1	Land area . (If lease land 3 yrs with registered deed)	1 Acres							
2	Fencing/Compound wall	All around							
3	EB Power	100 HP (3 Phase)							
4	Covered shed	10M x 5 M							
	Centre Lathe - 6' - with threading facility.(80 mm Dia / Thread Rolling Machine.)	2 Nos							
6	Welding machine (SMAW)400 Amps.	2 Nos							
	Electrode Baking Oven & Flask	1 Nos							
8	Grinding M/c								
	Bench Grinding	1 Nos							
10	Manual / Portable AG 5/7	2 Nos							
11	LPI kit	1 Set							
12	MPI Unit	1 No							
13	Level II LPI/MPI qualified Personnel	1 Person							
14	Wire Wheel (for power tool cleaning)	1 Nos							
15	Cutting equipment- power saw cutting & gas cutting (for rod and bottom plates)	1 No each							
16	Air Compressor of 5HP rating ,gun for painting	1 set							
	Measuring Instruments (all calibrated)								
	Tape 3m,5m,20m	each 2 Nos							

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Micro Dial Gauge	2 Nos				
	Vernier 0-200mm	1No.				
17	Weld fillet gauge 25 MM	1 no				
	Ring Gauge/ Plug Gauges	As per Drg				
	Straight Edge	1 No				
	Try square	1 no				
	Sprit level	1 no				
18	IT Pan Card	Original to be offered for verification				
19	TIN No	Original to be offered for verification				
20	Excise Registration Certificate	Original to be offered for verification				
	Office room with 2 PC , internet facility and printer	Must				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok		
Part-B (Optional)								
1	Standby Generator							
	Capacity (HP)							
	Owned or On rent							
2	Furnace for Heat							
	Treatment							
3	ISO Certification							

NTPC/Non-NTPC		
Material		
Valid Upto		

Auditor-1:

Auditor-2:

01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time 02 Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Raw Coal Gates / Isolation Gates/Needle Gates

Doc No: SVCL:020/00

Date : 15.10.2013

Vendor Name and Address:

Part-A (Mandatory)										
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok				
1	Land area . (If lease land 3	1 Acre, 0.5 Acre for an								
	yrs with registered deed)	exclusive unit								
	Fencing/Compound wall	All around								
-	Covered Shed	10m x 15m								
	Full fledged covered storage for electrical ⊂ delivery items	Racks with proper traceability								
5	EB Power availability -	70 HP with 35 HP power for the exclsive unit								
6	Overhead Crane/ Mobile Crane/ A -Frame	Min Mobile Crane with 12T capacity								
7	Lathe (80 mm Dia)	Min 1 No.								
8	Grinding Machine	AG5-2 nos, AG7-2nos, Bench type for tool grinding-1 no.								
	(SMAW)Welding M/c 400 Amps Inverter	4 Nos								
10	Plasma Cutting Machine	1 No								
	Shearing/Pug Cutting Machine	1 No								
12	Electrode baking & holding oven	1 NO EACH								
13	Flask Oven	2 No								
14	Radial Drilling Machine with capacity for diameter of 32mm	1 No								
15	Air Compressor of 5HP rating,gun for painting	1 set								
	Measuring Instruments (all calibrated)									

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Tape 3m,5m,20m	each 2 Nos				
	Vernier 0-300mm	1No.				
	Micrometer 0-75mm	1No.				
16	Feeler Gauge	1 Set				
10	Weld fillet gauge 25 MM	1 no				
	Surface finish comparator	1 Set				
	Try square	1 no				
	Sprit level	1 no				
17	LPI kit	1 Set				
18	MPI Unit (1000A)	1 No				
	Level II LPI/MPI qualified Personnel	1 Person				
20	IT Pan Card	Original to be offered for verification				
21	TIN NO	Original to be offered for verification				
22	Excise Registration	Original to be offered for				
	Certificate	verification				
	Office room with 2 PC , internet facility and printer	Must				
		Part-B (Optional)			
1	Universal Milling M/c /Gear Hobbimg M/c	Inhouse /Outsourced				
2	Nitriding	Inhouse /Outsourced				
3	Hardness Testing facility	Inhouse /Outsourced				
	Standby Generator					
4	Capacity (HP)					
	Owned or On rent					
5	ISO Certification					

No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-C	(Final Recommend	dation)		
Γ	NTPC/Non-NTPC					
1	Material					
١	Valid Upto					
[Auditor-1:			Auditor-2:		
Ļ]	L		
nort	ant Notes :					

Impor	ant Notes :								
01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the tin									
	of spot visit								
02	Part-B is only optional and need not be considered for disqualifying the vendor.								

Check List for Spot Visit - General Fabrication and Stairs

Doc No: SVCL:026/00

internet facility and printer

calibrated)

Measuring Instruments (all

Date: 15.10.2013

Vendor Name and Address: Part-A (Mandatory) Parameter for evaluation Actual observed in Audit Ok/Not Ok **Minimum Required** As given by Firm SI No Remarks 1 Land area . (If lease land 3 2 acres yrs with registered deed) 2 Fencing/Compound wall All around 3 Covered Shed 10 M X 10 M 4 Power (MIN) 100 Hp /630 kva (3 phase) 5 Material Handling 10 MT A-Frame with stability cert or Mobile Crane Leased Mobile crane Lease agreement 6 Electrode baking & holding 1 NO EACH oven 7 Flask Oven 1 No 8 Manual Gas cutting 2 No 9 Grinding M/c 10 Bench Grinding 1 Nos 11 Manual / Portable AG 5&7 2 Nos Each 12 (SMAW)Welding M/c 400 2 Nos Amps Inverter Drilling machine (Min 1 Nos 13 25 mm 14 Level II LPI/MPI qualified 1 Person Personnel Painting Facility (5 HP 15 1 No. compressor with Gun) 16 Office room with 2 PC , Must

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Tape 3m,5m,20m	each 2 Nos				
	Vernier 0-200mm	1No.				
	Feeler Gauge	1No.				
17	Weld fillet gauge 25 MM	1 no				
	Straight Edge	1 No				
	Try square	1 no				
	Sprit level	1 no				
	Water level checking	1 22				
	arrangement	1 no				
18	Raw Material Clearance (For	Day Book Entry system or				
	ACF Vendors)	likewise.				
19	Raw Material Testing (For	Access to testing labs, BHEL or				
	ACF Vendors)	Any other NABL approved				
20						
20	IT Pan Card	Original to be offered for				
		verification				
21	TIN No	Original to be offered for				
		verification				
22	Excise Registration	Original to be offered for				
	Certificate	verification				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-B (Optional)			
	Standby Generator					
1	Capacity (HP)					
	Owned or On rent					
2	ISO Certification					

NTPC/Non-NTPC		
Material		
Valid Upto		

Auditor-1:	
------------	--

Auditor-2:		

Impo	Important Notes :					
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time					
02	Part-B is only optional and need not be considered for disqualifying the vendor.					

Check List for Spot Visit - Hangers and Supports

Doc No: SVCL:003/01

Date : 15.10.2013

Vendor Name and Address:

		Part-A (Mar	ndatory)			
SI No	Paramter for evaluation	Minimum Required	As given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
1	Open area	1 Acre				
2	Covered shed	12m X 20m				
3	EB Power	70 Hp (3 Phase)				
4	Raw Material Clearance (For ACF Vendors)	Day Book Entry system or likewise.				
5	Raw Material Testing (For ACF Vendors)	Access to testing labs, BHEL or Any other NABL approved				
6	Lathe	Minimum 4 Nos, Spindle bore dia ranging from bore dia 25 to 100(minium one lathe bore dia 100mm)				
7	Thread Rolling M/C/Thread chasing M/C	Dia upto dia 63 mm -1No				
8		1 No				
9	Grinding M/C	2 Nos (AG7 & Bench Type)				
	Welding M/C	8 Nos.				
10	ТҮРЕ	RECTIFIER / INVERTOR				
	Capacity	400 Amps				
11	Electrode Oven (Calibrated)	2 Nos				
12	Drilling Machine	1 No. (Dia –2inch)				
13	Heat Treatment Furnace with PID controller OWN	1 No.				
	Size	1m x 1m x 1m				
14	Air test facility -Air Compressor of 5HP rating, gun and U tube manometer combinations for painting	1 set				
15	RT/UT	Inhouse/Outsorced				
16	LPI&MPI Testing facility	one set				
17	Vernier	0-300mm				
18	Bevel protractor	1 No				
19	Tape 3m,5m,20m	each 1				

SI No	Paramter for evaluation	Minimum Required	As given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
20	Thread gauges	1 No				
21	Rod straightening machine	1No				
22	IT Pan Card	Original to be offered for verification				
23	TIN No	Original to be offered for verification				
24						
25	Office room with 2 PC , internet	Must				
	facility and printer					
		Part-B (Op	otional)			
	Standby Generator availability					
1	Capacity					
	Own/Registered/Lease					
2	Engraving/Dot punching type					
3	Stenciling Machine					
		Part-C (Final Reco	ommendation)			
•	Max Weight]
	NTPC/Non-NTPC					1
	Valid Upto]

Auditor-	1:
----------	----

Auditor-2:

Imp	mportant Notes :				
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of				
02	Part-B is only optional and need not be considered for disqualifying the vendor.				

Check List for Spot Visit - OIL SYSTEM (HFO/LFO/ HFO Heater Set/Burner Skid Assy)

Doc No: SVCL:014/00

Date : 15.10.2013

Vendor Name and Address: Part-A (Mandatory) **Minimum Required** As given by Firm Actual observed in Audit Ok/Not Ok SI No Parameter for evaluation Remarks Surface area of land 1 Acre, 0.5 Acre for an 1 exclusive unit 2 Fencing/Compound wall All around 10m x 12m 3 Covered Shed Full fledged storage for Racks with proper traceabilty 4 electrical &sub delivery for items stores items EB Power availability 70 HP with 35 HP power for 5 the exclusive unit Overhead Crane/ Mobile Min 12T capacity 6 Crane/ A -Frame 7 Lathe for tube sheet, shell Min 1 No. (swing over bed end cover &steam channel 300mm), machining 8 Grinding Machine AG5-2 nos, AG7-2nos, Bench type for tool grinding-1 no. 4 Nos. 9 Welding Machine Invertor/Rectifier type with 400A 10 TIG Welding M/c and with 1 No accessories 11 Oil bath with heating 1 No arrangement upto 500 degree celsius 12 Plasma Cutting Machine 1 No 13 Shearing/Pug Cutting 1 No Machine 14 Electrode Oven Calibrated 1 No

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
15	Radial Drilling Machine with	1 No - With reamer and				
	capacity for diameter of	groover tools				
	32mm					
16	Tube expander with torque	Holding capacity size 17mm-				
	M/c with expansion tool	1no , Tool Size 17mm - 5 nos				
17	Tube Bending m/c with	1 No				
	former (D21.3, R 45 &60)					
18	Hydro test facilities with	1 No, with 3 gauges				
	capacity 50 – 75 Kg/ sq cm , and pressure gauges	(calibrated)				
	and pressure gauges					
19	Air Compressor of 5HP	1 cot				
19	rating, gun for painting	1 set				
20	Measuring Instruments	Bore Dial Gauge 10-20mm - 1				
		No, Dial Gauge - 1				
		No,Micrometer 0-25mm -				
		1No, Vernier 0-600m - 1 No,				
		Measuring Tape 3m - 1 No,				
		15m - 1 No.				
21	NDE Facilities	LPI Kits - 2 Nos, MPI Kit-1 No				
		(1000A). NDE Personnel level-				
		11				
22	IT Pan Card	Original To be Offered for				
		verification				
23	TIN NO	Original To be Offered for				
		verification				
24	Excise Registration	Original To be Offered for				
	Certificate	verification				
25	Office room with 2 PC ,	Must				
	internet facility and printer					
	-	Part-B (Optional)			
	Standby Generator					
1	Capacity (HP)					
	Owned or On rent					
2	ISO Certification					

Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Part-C (Final Recommend	dation)		
NTPC/Non-NTPC					
Material					
Valid Upto					
Auditor-1:			Auditor-2:		
	NTPC/Non-NTPC Material Valid Upto	NTPC/Non-NTPC Material Valid Upto	Part-C (Final Recomment NTPC/Non-NTPC Material Valid Upto	Part-C (Final Recommendation) NTPC/Non-NTPC Material Material Image: Colspan="2">Image: Colspan="2" Image: Colspan="2"	Part-C (Final Recommendation) NTPC/Non-NTPC Material Valid Upto

Impor	tant Notes :
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time
02	Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Instrument Tapping (Pressure/Temperature)

Doc No: SVCL:018/00

Date : 15.10.2013

Vendor Name and Address: Part-A (Mandatory) Parameter for evaluation **Minimum Required** As given by Firm Actual observed in Audit Remarks Ok/Not Ok SI No 1 Land area . (If lease land 3 2 Acres yrs with registered deed) 2 Fencing/Compound wall All around 3 Covered Shed 10m x 12m 4 Abrasive cutting 1 No equipment - for pipe cutting 5 Lathe 3 feet - for threads 1 No forming and turning (100 mm Dia) 6 Portable Grinding 2 Nos machine - AG-7 7 Welding machine with 2 Nos 400 Amps 8 Bench Drilling machine 1 No 9 Electrode Baking Oven & 1 No each Flask 10 LPI kit 1 Set 11 MPI Unit 1 No 12 Level II LPI/MPI qualified 1 Person Personnel Measuring Instruments (all calibrated) Tape 3m,5m,20m each 2 Nos 13 Ring Gauge/ Plug Gauges As per Drg Vernier 0-200mm 1No. 14 Wire Wheel - for power 1 No tool cleaning 15 Air Compressor of 5HP 1 set rating, gun and for painting

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
16	Raw Material Clearance (For	Day Book Entry system or				
	ACF Vendors)	likewise.				
17	Raw Material Testing (For	Access to testing labs, BHEL or				
	ACF Vendors)	Any other NABL approved				
	Office room with 2 PC ,	Must				
	internet facility and printer					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
Part-B (Optional)						
1	Fencing/Compound wall	All around				
	Standby Generator					
2	Capacity (HP)					
	Owned or On rent					
3	ISO Certification					

NTPC/Non-NTPC		
Material		
Valid Upto		

Auditor	-2:		

Imp	ortant Notes :
0	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time
0	² Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Metallic expansion Bellows

Doc No: SVCL:005/01

Date : 15.10.2013

Vendor	Name and	Address:
--------	----------	----------

		F	Part-A (Mandato	ory)		
SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
1	Open area	1 Acres				
2	Fencing/Compound wall	All around				
3	Covered shed	12m X 14m				
4	EB Power	100 Hp /630 kva (3 phase)				
5	Raw Material Clearance (For ACF Vendors)	likewise.				
	Raw Material Testing (For ACF Vendors)	Access to testing labs, BHEL or Any other NABL approved				
7	Shearing Machine	4mm Thick and 3m width				
8	Press Brake /Hydaraulic press with appropriate tooling to handle different varities as per drawing	4mm Thick and 3m width (Min 1 no 50-100 MT)				
9	(SMAW)Welding M/c 400 Amps Inverter	2 Nos				
	Measuring Instruments (all calibrated)					
	Tape 3m,5m,20m	each 2 Nos				
10	Try square	1 no				
	Sprit level	1 no				
	Vernier 0-200mm	1No.				
	Straight Edge	1 No				
11	Grinding M/c					
12	Manual / Portable	1 No				
13	Material handling	10 MT				
	capacity(MIN)(Mobile					
	crane/EOT & A frame with					
	stability certificate)					

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
14	IT Pan Card	Originals to be offered for				
		verification				
15	TIN No	Originals to be offered for				
		verification				
16	Excise Registration	Originals to be offered for				
	Certificate	verification				
17	Office room with 2 PC ,	Must				
	internet facility and printer					
			Part-B (Optiona	al)		
1	Horizontal bending using formers for Round corners	Min 1 No.				
2	Spectro Testing (AS/SS)	Access to testing labs, other NABL approved labs				
3	Furnace Heat Treatment	Inhouse / Outsourced				
//	Knowledge on designing forming tools/dies					
		Part_C	(Final Recomme	andation)		
	NTPC /Non-NTPC					-
	Material					-
	Valid Upto					-

Auditor-1:

Auditor-2:

 Important Notes :

 01
 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the

 02
 Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Oil Gun Assy

Doc No: SVCL:022/00

Date : 15.10.2013

Vend	or Name and Address:					
		Par	t-A (Mandatory			
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Surface area of land	1 Acre, 0.5 Acre for an				
		exclusive unit				
2	Fencing/Compound wall	All around				
3	Covered Shed	10m x 15m				
4	Full fledged covered storage for electrical ⊂ delivery items(covered shed for electrical items)	With racks and records for proper traceability				
5	EB Power availability	70 HP with 35 HP power for				
		the exclusive unit				
6	Lathe (Dia 200 mm)	Min 1 No.				
7	Grinding Machine	AG5-2 nos, AG7-2nos, Bench type for tool grinding-1 no.				
8	Welding Machine Invertor/Rectifier type with 400A	4 Nos.				
9	TIG Welding M/c and with accessories	1 No				
10	Plasma Cutting Machine	1 No				
11	Shearing/Pug Cutting Machine	1 No				
12	Electrode Oven Calibrated	1 No - for Baking and 1 No- for drying				
13	Portable Drilling Machine with capacity for diameter of 32mm	1 No				
14	Vertical Milling Machine	1 No				
15	Precision Drilling Machine Dia 8 mm	1 No				
16	Hydro test facilities for a pressure at least upto 75- 100 kg/sq.cm	1 No with 3 calibrated gauges to suit the test pressure				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
17	Measuring Instruments	Bore Dial Gauge - 1No,				
		Digital Vernier 0-300mm - 1				
		No, Measuring Tape 3m - 1				
		No, 15m - 1 No.				
18	NDE Facilities	LPI Kits - 2 Nos, MPI Kit-1 No				
		(1000A). NDE qualified				
		Personnel level-II				
19	IT Pan Card	Originals to be offered for				
		verification				
20	TIN No	Originals to be offered for				
		verification				
21	Excise Registration	Originals to be offered for				
	Certificate	verification				
22	Office room with 2 PC ,	Must				
	internet facility and printer					
	, , , , , , , , , , , , , , , , , , , ,					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok	
Part-B (Optional)							
	Standby Generator						
1	Capacity (HP)						
	Owned or On rent						
2	Nitriding	Outsourced					
3	Hardness testing Facility	Inhouse/ Outsourced					
4	ISO Certification						

NTPC/Non-NTPC		
Material		
Valid Upto		

Auditor-1:

Auditor-2:

Important Notes :			
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time		
02	Part-B is only optional and need not be considered for disqualifying the vendor.		

Check List for Spot Visit - Seal Boxes (CS,AS and SS)

Doc No: SVCL:025/00

Date : 15.10.2013

Vendor Name and Address:

		Par	t-A (Mandatory			
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Land Area	2 acres				
2	Fencing/Compound wall	All around				
3	Press Brake machine	Pressing capacity for plate thickness of 12 mm				
4	Covered shed	10M x 5M				
5	Shearing machine 2.5 m width	Thickness Max 12 mm				
6	Welding machine (SMAW) 400 Amps	4 Nos				
7	Electrode Baking Oven & Flask	1 No Each				
8	Manual Rolling Machine 3 Rollers (Dia 300 mm)/ - Screw type	1 No				
	Material handling capacity(MIN)(Mobile crane/EOT & A frame with stability certificate)	10 MT				
10	Wire Wheel - for power tool cleaning	1 No				
11	Gas cutting equipment -	1 No				
12	Air Compressor of 5HP rating, gun for painting	1 set				
	Portable Grinding machine - AG 7	2 Nos				
	Bench Drilling machine	1 No				
	LPI kit	1 Set				
	MPI Unit	1 No				
17	Level II LPI/MPI qualified Personnel	1 Person				
18	calibrated)					
	Tape 3m,5m,20m	each 2 Nos				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Vernier 0-200mm	1No.				
	Weld fillet gauge 25 MM	1 no				
	Straight Edge	1 No				
	Try square	1 no				
	Sprit level	1 no				
19	Electricity	100 HP (3 Phase)				
20	Plasma Cutting for SS material	1 No				
21	Raw Material Clearance (For ACF Vendors)	Day Book Entry system or likewise.				
22	Raw Material Testing (For ACF Vendors)	Access to testing labs, BHEL or Any other NABL approved				
23	Office room with 2 PC , internet facility and printer	Must				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-B (Optional)	-		
1	Standby Generator					
	Capacity (HP)					
	Owned or On rent					
2	ISO Certification					
3	Spectro Testing (AS/SS)	Access to testing labs, other NABL approved labs				

NTPC/Non-NTPC		
Material		
Valid Upto		

Auditor-1:]	Auditor-2:	

Impo	Important Notes :			
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time			
02	Part-B is only optional and need not be considered for disqualifying the vendor.			

Check List for Spot Visit - Venturi & Aerofoil Duct

Doc No: SVCL:027/00

15 Manual / Portable AG

16 Material Handling

5&7

2 Nos Each

Date : 15.10.2013

Vendor Name and Address: Part-A (Mandatory) SI No Parameter for evaluatio Minimum Required As given by Firm Actual observed in Audit Ok/Not Ok Remarks 1 Land area . (If lease 2 Acres land 3 yrs with registered deed) 2 Fencing/Compound wall All around 3 Covered shed 10m X 20m 4 EB Power 100 Hp /630 kva (3 phase) 5 Raw Material Clearance Day Book Entry system or (For ACF Vendors) likewise. 6 Raw Material Testing Access to testing labs, BHEL or (For ACF Vendors) Any other NABL approved labs. 7 Three roller bending 1 Nos machine 8 (SMAW)Welding M/c 3 Nos 400 Amps Inverter Drilling machine 1 Nos 9 (Min 16 mm Portable Drilling 1 Nos 10 Min 16 mm dia 11 LPI kits 1 No. 12 Gas Cutting/ Shearing 1 No. machine 13 Grinding M/c 14 Bench Grinding 1 Nos

SI No	Parameter for evaluatio	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Handling Facility	10 MT				
	(EOT/A frame with					
	stability cert/ Gantry					
	/Mobile)					
	Crane capacity for	Boom length upto 15 m				
	Assembly	height				
	Leased Mobile crane	Lease agreement				
17	Measuring Instruments					
	(all calibrated)					
	Tape 3m,5m,20m	each 2 Nos				
	Vernier 0-300mm	1No.				
	Feeler Gauge	1No.				
	Weld fillet gauge	1 No.				
	Try square	1 No.				
	Sprit level	1 No.				
	Water level checking arrangement	1 No.				
19	Painting Facility (5 HP compressor with Gun)	1 No.				
20	IT Pan Card	Original to be offered for verification				
21	TIN No	Original to be offered for verification				
22	Excise Registration	Original to be offered for				
	Certificate	verification				
23	Office room with 2 PC ,	To be verified				
	internet facility and					
	printer					

SI No	Parameter for evaluatio	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Part-B (Optional)					
1	Blasting Facility	1 No.				
2	Standby Generator					
	Capacity (HP)					
	Owned or On rent					
3	Stenciling					
4	Punching Machine					

NTPC/Non-NTPC		
Material		
Valid Upto		

Auditor-1:	Auditor-2:
portant Notes :	

Impor	rtant Notes :
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the
02	Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Wind Box and Sofa

Doc No: SVCL:015/00

Date : 15.10.2013

Vendor Name and Address:

Part-A (Mandatory)								
SI No	Parameter for evaluation Minimum Required		As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok		
1	Covered shed to handle the job	14m X 20m						
2	Fencing/Compound wall	All around						
3	EB Power	100 Hp (3 phase)						
4	Land area . (If lease land 3 yrs with registered deed)	2 Acre						
	Full fledged covered storage for sub delivery items (Within Shed)	Racks with proper traceability						
6	Sub Critical : Bug cutting m/c OTSC: CNC Cutting	1 nos						
7	(SMAW)Welding M/c 400 Amps Inverter	4 Nos						
	Lathe (Max 100 mm Dia) OTSC : CNC Lathe	1 No						
9	Handling Facility for Assembly .(EOT/A frame/ Gantry /Mobile)	Combined 40 MT						
	CNC plasma for SS plate cutting	1 no						
11	Core Drilling M/c for Sub critical.Drilling (32 mm Dia) m/c magnet base / pillar type	1 No						
12	Base Frame/Platform Min : 12x4 m	2 No						
	Electrode Baking Oven + Flask	2 Nos + 4 Nos						
14	Grinding machine AG-5, AG-7	2 Nos each						
15	Painting Facility (5 HP compressor with Gun)	1 No.						

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
16	MPI machine -prod type with calibration	1No				
17	LPI Kit	1 No				
18	Level II LPI/MPI qualified Personnel	1 Person				
	Measuring Instruments (all calibrated)					
	Tape 3m,5m,20m	each 2 Nos				
	Vernier 0-150mm	1No.				
	Micrometer 0-25mm	1No.				
19	Feeler Gauge	1 set				
15	Weld fillet gauge 25 MM	1 no				
	Surface finish Comparator for OTSC	1 No				
	Pistol Caliper	1 No				
	Try square	1 no				
	Sprit level	1 no				
	Bevel Protractor	1 No				
	Water level checking arrangement	1 No.				
20	IT Pan Card	Original to be offered for verification				
21	TIN No	Original to be offered for verification				
22	Excise Registration Certificate	Original to be offered for verification				
23	Office room with 2 PC , internet facility and printer	Must				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok		
	Part-B (Optional)							
	Press Brake machine with forming dies	capacity for 10mm plate						
2	Shearing Machine	upto 12 mm						
3	Rolling Machine (3 Rollers)	capacity for 12mm plate						
4	Base Frame/Platform Min : 12x4 m (ISMB 600x220)	2 No						
	Fixture , templates , shop made gauges	As per product Requirements						
	Stand by Generator							
6	Capacity (HP)							
	Owned or On rent							
7	ISO Certification							

-	•		
NTPC/Non-NTPC			
Material			
Valid Upto			

Auditor-2:

Impo	ortant Notes :
0	1 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the
0	2 Part-B is only optional and need not be considered for disqualifying the vendor.

	Check List for Spot Visit - Pressing, Punching, Shearing and SS Fabrication including welding								
Doc N	o: SVCL:016/01					Date : 17.12.2014			
Vend	or Name and Address:								
			Part-A (Man	datory)					
SI No	Paramter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok			
01	Area required	0.5 Acre							
02	Office room with 2 PCs with Internet Facility and printer	A Must							
03	EB Power	75 HP							
	System for Raw Material Clearance (For ACF Vendors)	A must							
05	System for Raw Material Testing (For ACF Vendors)	A must							
06	welding machines (Rectifier/Invertor type) - 400 A	2 Nos							
07	Heating and holding Oven with calibration	Each 1 no.							
	Press Brake min.2.5M width, min. 50MT capacity for a thickness upto 10mm	1 No.							
09	Drilling Machine for Dia upto 32mm	1 No							
10	Grinding Machine (AG-7 & AG- 4)	2 Nos.							
11	Gas Cutting machine for a thickness of 10mm and width of min 2.5M	1 No							
12	Shearing machine for a thickness of 10mm and width of min.2.5M	1 No							
13	Measuring Instruments								
	Tape 3m,5m,20m - with calibration	1 No							

	Vernier 0-300mm - with calibration	1 No			
	Feeler Gauge	1 No			
	Weld fillet gauge	1 No			
	Try square	1 No			
	Sprit level	1 No			
14	LPI kits	2 Nos.			
15	Punching Machine min. 100T	1 No			
16	Painting Facility	1 No			
17	IT Pan Card	Originals to be offered for verification			
18	TIN NO	Originals to be offered for verification			
19	Excise Registration Certificate	Originals to be offered for verification			
		Part-B	(Optional)		
01	Fencing/Compound wall	All around			
02	Preheating Burner				
	Standby Generator				
03	Capacity (HP)				
	Owned or On rent				
04	Stenciling				

NTPC/Non-NTPC		
Material		
Valid Upto		

Auditor-1:

Auditor-2	2:		

Prepared by:

Approved By

 Important Notes :

 01
 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit

 02
 Part-B is only optional and need not be considered for disqualifying the vendor.

	Check List for Spo	ot Visit - Panels			
Doc No	: SVCL:011/01				Date : 17.12.2014
Vendo	r Name and Address:				
	Part-A (Ma	ndatory)			
SI No	Paramter for evaluation	As given by Firm	As observed in Audit	Remarks	Ok/Not Ok
01	Land -1 acre (43559 sq ft)				
02	Covered shed Area - 8000 sq ft with concrete flooring				
03	Office with PC (Min 2 Nos) & internet facility				
04	Firm approval for boiler pressure parts by IBR				
05	IBR qualified welders. CS/AS - Min One for each category				
06	Panel Processing Machine (SAW/ FCAW)				
07	Fin decoiler				
08	Fin calibraton facility				
09	Blast cleaning facility (Inhouse/Outsourced)				
10	Tube cutting machine				
11	Tube bending machine - capable of bending 63.5 mm dia tubes.				
12	Preheating/Post Heating burner facilities (Min 3 nos.)				
13	Heating torches for bow correction. (Min 2 Nos.)				
14	Rectifier/inverter welding machine for SMAW process				
15	TIG welding machines for tube butt joints - (Min 2 Nos.)				
16	Electrode baking & holding oven with calibration - Each 1 No.				
17	Hot flask for electrodes - (Min 3 Nos.)				
18	Flux oven (in case of SAW process)				
19	Hydro testing pumps - Min 400 Kg/Sq Cm				
20	Heat treatment furnace with IBR approval & with valid calibration (Inhouse/				
	Outsourced - 4m x 4m, capability to handle length of 16 to 24 m. Temperatue range				
	600 - 720 deg C)				
21	Local stress relieving (Inhouse/Outsourced)				
22	NDE facility for PT,MT,UT and RT with IBR approval (inhouse/outsourced - PT, MT				
	must be inhouse and UT & RT can be outsourced).				
23	Qualified NDE personnel -Level-II for MT,PT,UT and RT				
24	Supporting stands (Min - 10 stands)				
25	Grinding M/Cs - portable (5 Nos.)				
26	Spectrotesting M/c (Inhouse/Outsourced)				
27	5m, 30m measuring tape with calibration				

28	Tube chamferring machine capable of machining upto OD 63.5 mm			
29	D meter for thickness measurement			
30	Vernier calipers with calibration - 150 mm minimum			
31	3 phase power connection (100 HP)			
32	EOT / mobile cranes - 5 T min (2 Nos)			
33	Ball & Sponge Test Facility with compresser			
34	Spray painting facility			
35	Paint coating thickness meter			
	Part-B (O	ptional)		
1	Stenciling/Engraving/Dot punching facility			
2	Gang bending m/c for bend panels.			
3	Gang bend layout checking facility			
4	Gen. set			

Pannel size (length, width)		
Material Specification		

Auditor-1:

Auditor-2:

Prepared by:

Approved By

	Important Notes :				
C	01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit			
0)2	Part-B is only optional and need not be considered for disqualifying the vendor.			

	: SVCL:010/01	ot Visit - Coils, loose		Dr	ate : 17.12.201
				Da	ne . 17.12.201
vendo	r Name and Address:				
		A (Mandatory)			
SI No	Paramter for evaluation	As given by Firm	As observed in Audit	Remarks	Ok/Not Ok
01	Land - 1 Acre (43559 sq ft)				
02	Covered shed area - 8000 sq ft with concrete flooring				
03	Office with PC (Min 2 Nos) & internet facility				
04	Firm Approval for boiler pressure parts by IBR				
05	IBR qualified welders. CS/AS - Min one person for each category				
06	Tube cutting machine				
07	Tube bending machine - capable of bending 76.1 mm dia tubes.				
08	Tube chamferring machine (Min: 2 Nos.)				
09	Rectifier/inverter welding machine for SMAW process				
10	TIG welding machines for tube butt joints - (Min 2 Nos.)				
11	Electrode baking & holding oven with calibration - Each 1 No.				
12	Hot flask for electrodes - (Min 3 Nos.)				
13	Preheating/post heating - fuel & burner facilities - Min one for each welding				
	centre				
14	Heat treatment furnace with IBR approval & with valid calibration -				
	(Inhouse/Outsourced) - 4m X 4m capability to handle length of 16 to 24m.				
	Temperature range :600 -780 °C				
15	Local SR facility (Inhouse/Outsourced)				
	Layout marking facilities required				
17	NDE facility for PT,MT,UT & RT with IBR approval (inhouse/outsourced)-PT & MT				
	inhouse must. UT & RT can be outsourced to IBR approved firms				
18	Qualified NDE personnel - Level-II for PT, MT, UT & RT				
	Grinding M/Cs (AG 7 AND AG 5 , each: 5 nos)				
	Spectrotesting M/C (Inhouse/Outsourced)- Portable type				
21	Ball & Sponge Test Facility with compresser				
22	Spray painting facility				
23	Paint coating thickness meter				
	D-Meter (for thickness checking)				
25	Vernier caliper with calibration - 150 mm minimum				
26	5m, 30m measuring tape with calibration				
27	Hydro testing pumps - Min 400 Kg/Sq Cm				
	3 Phase power connection (100 HP)				
29	EOT crane (10 T)				

Part-B (Optional)				
01 Gen. set				
02 Stenciling/Engraving/Dot punching facility				
03 Stud welding machine				

Note If facility is outsourced, details of facility available with the outsoucer and their concurrence to provide service to vendor in 'outsourcer letter head shall be enclosed without fail.

Part-C (Final Recommendation)			
Recommended for	Coils/ loose tubes		
Material Specification			

Auditor-1:			

Auditor-2:		

Prepared by:

Approved By

Importa	Important Notes :		
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit		
02	Part-B is only optional and need not be considered for disqualifying the vendor.		

Check List for Spot Visit - Machining (IBR/ Non IBR)

Doc No: SVCL:013/01

Date : 17.12.2014

Vendor Name and Address:

		Part-A (Mandatory)			
SI No	Parameter for evaluation	As given by Firm	As observed in Audit	Remarks	Ok/Not Ok
01	Land Area (Own/Lease/Rent) -4000 Sq. ft				
02	Office with PC (Min 2 Nos) & internet facility				
	Cover Shed with asbestos roofing - 2000 Sq. ft				
04	Fencing/Compound wall - All around				
05	3 Phase Electricity (Min 20 HP)				
	Surface table for marking 1m X 1m				
	Firm approval for machining of boiler components by IBR				
	(Applicable for IBR Machining only)				
	Measuring tape - 3 m with calibration				
	Vernier caliper - 300 mm with calibration				
	Straight edge				
	Micrometer with calibration				
	Steel rule				
	Spirit Level				
14	Comparators for surface finish of machining components				
15	Drilling machine - to drill upto 40 mm dia				
16	Lathe - 6 feet minimum (Min: 2 nos.)				
17	Spectrotesting M/c (Inhouse/Outsourced)				
		Part-B (Optional)			
01	Painting facility				
02	Milling Machine				
03	Horizontal Boring				
04	Vertical boring Machine				
05	CNC lathe				
06	Stenciling/Engraving/dot punching facility				

07 Standby Generator				
08 Material Handling (Crane capacity- 1 tonne minimum)				
Part-C (Final Recommendation)				
Recommended for turning, chasing, milling boring, etc.				

Auditor-1:	Auditor-2:

Impo	rtant Notes :
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit
02	Part-B is only optional and need not be considered for disqualifying the vendor.